



Valve plug connector, series CON-VP

- Socket form A 2+E angled 90°
- open cable ends 3-pin
- with cable
- unshielded



Ambient temperature min./max. -20 ... 80 °C

Operational See table below

voltage

Protection class IP67
Wire cross-section 0,75 mm²
Mounting screw tightening torque 0,4 Nm

Weight See table below

Technical data

Part No.		Operational voltage	Protective circuit	Contact assignment	LED status display
1834484160	1)1 2)2 ®}	230 V AC/DC	-	2+E	-
1834484162	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24 V AC/DC	Z-diode	2+E	Yellow
1834484163	1	24 V AC/DC	Z-diode	2+E	Yellow
1834484164	2 @ F	230 V AC/DC	Varistor	2+E	Red
1834484165	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	230 V AC/DC	Varistor	2+E	Red

Part No.	Number of wires	Cable-Ø	Cable length	Weight	Fig.	
1834484160	3	5,9 mm	3 m	0,2 kg	Fig. 1	1)
1834484162	3	5,9 mm	3 m	0,2 kg	Fig. 2	-
1834484163	3	5,9 mm	5 m	0,31 kg	Fig. 2	-
1834484164	3	5,9 mm	3 m	0,2 kg	Fig. 2	-
1834484165	3	5,9 mm	5 m	0,31 kg	Fig. 2	-

¹⁾ Scope of delivery incl. flat gasket

Technical information

The specified protection class is only valid in assembled and tested state.


Technical information

Material		
Seals	caoutchouc/butadiene caoutchouc	
Cable sheath	Polyvinyl chloride	




Dimensions

Fig. 1









Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: Emerson.com/Aventics

Your local contact: Emerson.com/contactus



Emerson.com



Facebook.com/EmersonAutomationSolutions



LinkedIn.com/company/Emerson-Automation-Solutions



Twitter.com/EMR_Automation

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgement and verification. It must be remembered that the products are subject to a natural process of wear and again.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners.

2020 Emerson Electric Co. All rights reserved.

