

Foot mounting MS1, Series CM1

- to mount on cylinder PRA, TRB, CCI, KPZ, 167, CVI, ITS
- Suitable piston Ø 25 32 40 50 63 80 100 mm



Technical data


Part No.	Piston Ø	For series
3682202000	25 mm	167
3662203000	32 mm	167
3662204000	40 mm	167
3662205000	50 mm	167
3662206000	63 mm	167
3662208000	80 mm	167
3662210000	100 mm	167

Scope of delivery: 2 foot mountings incl. mounting screws

Technical information

Material	
Material	Steel
	galvanized
Screws	Steel
	galvanized

Dimensions



Dimensions

Part No.	Piston Ø	ØAB	AO	AT	AU ±0,2	Ød	E	L1	L2	R	TG	TR
3682202000	25 mm	7	8	4	22	5.5	40	21	11.5	13.5	27	26
3662203000	32 mm	7	8	5	24	5.5	47	26	16	15	32	32
3662204000	40 mm	9	11	5	31	6.6	56	28	16	20	40	36
3662205000	50 mm	9	12	6	33	6.6	63	35	22	23	46	45
3662206000	63 mm	9	12	6	36	9	81	40	20.5	23	59	50
3662208000	80 mm	12	15	8	43	9	95	45	26.5	26	73	63
3662210000	100 mm	14	17	10	43	11	115	50	26	32	90	75

Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: [Emerson.com/Aventics](https://emerson.com/aventics)

Your local contact: [Emerson.com/contactus](https://emerson.com/contactus)



Emerson.com



Facebook.com/EmersonAutomationSolutions



LinkedIn.com/company/Emerson-Automation-Solutions



Twitter.com/EMR_Automation

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgement and verification. It must be remembered that the products are subject to a natural process of wear and aging.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. © 2020 Emerson Electric Co. All rights reserved.
2020-12



CONSIDER IT SOLVED™