

## Manifold block, for series ED05



Medium Weight

Compressed air See table below

#### Technical data

Part No.	Туре	Weight
5610141002	1x	0,573 kg
5610141012	2x	1 kg
5610141022	3x	1,42 kg
R414000105	4x	1,87 kg
R414000106	5x	2,32 kg
5610141052	6x	2,74 kg
R414000908	7x	3,18 kg
5610141072	8x	3,45 kg
R414000910	9x	4,02 kg
5610141092	10x	4,69 kg

Scope of delivery incl. screws and seals

#### Technical information

The min. control pressure must be adhered to, since otherwise faulty switching and valve failure may result!

The pressure dew point must be at least 15 °C under ambient and medium temperature and may not exceed 3 °C .

The oil content of compressed air must remain constant during the life cycle.

Use only the approved oils from AVENTICS. Further information can be found in the "Technical information" document (available in the MediaCentre).


### Technical information


Material	
Housing	Aluminum




## Dimensions

#### Dimensions







## Dimensions

Part No.	А	В	С	D
5610141002	90	76	_	_
5610141012	154	140	64	1
5610141022	218	204	64	2
R414000105	282	268	64	3
R414000106	346	332	64	4
5610141052	410	396	64	5
R414000908	474	460	64	6





Part No.	A	В	С	D
5610141072	538	524	64	7
R414000910	602	588	64	8
5610141092	666	652	64	9

# Efficient pneumatic solutions, our program: cylinders and drives, valves and valve systems, air supply management



Visit us: Emerson.com/Aventics

Your local contact: Emerson.com/contactus



Emerson.com



Facebook.com/EmersonAutomationSolutions



LinkedIn.com/company/Emerson-Automation-Solutions



Twitter.com/EMR\_Automation

An example configuration is depicted on the title page. The delivered product may thus vary from that in the illustration. Subject to change. This Document, as well as the data, specifications and other information set forth in it, are the exclusive property of AVENTICS GmbH. It may not be reproduced or given to third parties without its consent. Only use the AVENTICS products shown in industrial applications. Read the product documentation completely and carefully before using the product. Observe the applicable regulations and laws of the respective country. When integrating the product into applications, note the system manufacturer's specifications for safe use of the product. The data specified only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgement and verification. It must be remembered that the products are subject to a natural process of wear and again.

The Emerson logo is a trademark and service mark of Emerson Electric Co. Brand logotype are registered trademarks of one of the Emerson family of companies. All other marks are the property of their respective owners. 

2020 Emerson Electric Co. All rights reserved.

